Formulation of Risk

	Past 3				Past 3		
Lifetime	months	Current	Long-term risk factors	Lifetime	months C	urrent	Clinical presentation
			Abuse(sexual, physical, verbal)				Depressed mood
			Family/friend death by suicide				Loss of interest
			Past psychiatric hospitalizations				Hopeless
						_	· · · · · ·
			Untreated mental illness				Helpless
			Mental health diagnosis:				Anxious
			Incarceration				Lack of orientation
			Other:				Hallucinations
							Paranoia
			Impulsivity/self-control				Agitation
						_	_
			Substance use				Aggressive
			Substance abuse				Uncooperative
			Substance dependence				Motor retardation
			Substance withdrawal				Unusual thought content
							Panic attack
			Poor impulse central				Affect:
			Poor impulse control				
			Unpredictable acts				Impaired decision-making
			Other:				Hostile/violent
							Other:
			Suicidal behavior				
			Complete C-SSRS				Engagement and reliability
			Complete C-33N3				
							Collaborative
			<u>Identifiable stressors</u>				Cooperative
			Recent loss (Job, relationship, etc)				Reliable reporter
			Socially isolated				Mental health treatment
			Significant negative event				Other:
			Incarceration				
							Duatactiva factors
	_		Homelessness				Protective factors
			Financial				Identifies reasons for living
			Environmental				Supportive social network and/or family
			Health issues				Responsibility to others
			Physical pain				Fear of dying
			Other:				Engaged in school or work
			outer.				Other protective factors:
							Other protective factors.
			Other risk factors:				
Risk status: (compared to others in stated population)							
Risk state:	(compare	d to their	<u>r own baseline)</u>				
Other Note	<u> 25:</u>						